LED STROBE LIGHT

ENHANCED BUS VISIBILITY



4" model shown





Provides more down angle light to gain attention of pedestrians and motorists

•





SAFETY Significantly improves vehicle visibility in any light conditions







LED tower and circuit board are field replaceable for simplified maintenance



MOISTURE

Water resistant design

exceeds SAE J845/575



SHOCK AND VIBRATION Rough roads, potholes, and dayto-day jarring are no match for the solid state electronics. Tested to SAE J845/575 standards

Optical design provides more

attention of pedestrians and

down angle light to gain





Composite base with rubber gasket adapts to

various roof surfaces

DOWN BEAM

motorists




Exceeds SAE J845 Class II rating

- Composite base with rubber gasket adapts to various mounting surfaces
- Same hole pattern as • Specialty Manufacturing's 515 model




THE SPECIALTY DIFFERENCE

OPTICAL POWER



Optical Power is part of SAE J845. The purpose of this graph is to show the total energy emitted in a given length of time.

PEAK INTENSITY



This graph illustrates how the Specialty LED Strobe outperforms the leading competitor + SAE J845 requirements.

The optical design of the Specialty strobe provides 4x's more down angle light than the competitive solution which enhances bus visibility to motorists and pedestrians. It provides nearly 5x's more down angle light than SAE J845 requirements for Class II strobes.



New Low profile LED Strobe

13501 S Ridge Dr. • Charlotte, NC 28273 • Tel: 800.951.7867 • Fax: 704.889.2760 • busandrail@safefleet.net www.safefleet.net/busandrail NCL-7.2-6000 | Rev B | 09-18-17

